

**This Page is Inserted by IFW Indexing and Scanning
Operations and is not part of the Official Record**

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images include but are not limited to the items checked:

- ☐ BLACK BORDERS
- ☐ IMAGE CUT OFF AT TOP, BOTTOM OR SIDES
- ☐ FADED TEXT OR DRAWING
- ☐ BLURRED OR ILLEGIBLE TEXT OR DRAWING
- ☐ SKEWED/SLANTED IMAGES
- ☐ COLOR OR BLACK AND WHITE PHOTOGRAPHS
- ☐ GRAY SCALE DOCUMENTS
- ☐ LINES OR MARKS ON ORIGINAL DOCUMENT
- ☐ REFERENCE(S) OR EXHIBIT(S) SUBMITTED ARE POOR QUALITY
- ☐ OTHER: _____

IMAGES ARE BEST AVAILABLE COPY.

As rescanning these documents will not correct the image problems checked, please do not report these problems to the IFW Image Problem Mailbox.

Freeform Search

Database:	US Pre-Grant Publication Full-Text Database
	US Patents Full-Text Database
	US OCR Full-Text Database
	EPO Abstracts Database
	JPO Abstracts Database
	Derwent World Patents Index
	IBM Technical Disclosure Bulletins

Term:	(coherency with (independent) with (cpu or processor))
--------------	--

Display:	<input type="text" value="10"/> Documents in Display Format: <input type="text" value="-"/> Starting with Number <input type="text" value="1"/>
-----------------	---

Generate: ☐ Hit List ☒ Hit Count ☐ Side by Side ☐ Image

Search

Clear

Interrupt

Search History

DATE: Friday, September 17, 2004 [Printable Copy](#) [Create Case](#)

Set Name Query

side by side

Hit Count Set Name

result set

DB=PGPB,USPT; PLUR=YES; OP=OR

<u>L5</u>	(coherency with (independent) with (cpu or processor))	20	<u>L5</u>
<u>L4</u>	(coherency with (independent))	88	<u>L4</u>
<u>L3</u>	((coherency near3 (operation or command))with (independent))	6	<u>L3</u>
<u>L2</u>	L1 and ((coherency near3 (operation or command))with (independent))	5	<u>L2</u>
<u>L1</u>	711/\$.ccls.	21938	<u>L1</u>

END-OF-SEARCH-HISTORY

Freeform Search

Database:	US Pre-Grant Publication Full-Text Database
	US Patents Full-Text Database
	US OCR Full-Text Database
	EPO Abstracts Database
	JPO Abstracts Database
	Derwent World Patents Index
	IBM Technical Disclosure Bulletins

Term:	111 and ((purge or flush) near2 address)
--------------	--

Display:	<input type="text" value="10"/> Documents in Display Format: <input type="text" value="-"/>	Starting with Number <input type="text" value="1"/>
-----------------	--	--

Generate: ☐ Hit List ☒ Hit Count ☐ Side by Side ☐ Image

Search

Clear

Interrupt

Search History

DATE: Friday, September 17, 2004 [Printable Copy](#) [Create Case](#)

Set Name Query

side by side

Hit Count Set Name

result set

DB=PGPB,USPT; PLUR=YES; OP=OR

<u>L13</u>	111 and ((purge or flush) near2 address)	2	<u>L13</u>
<u>L12</u>	111 and ((purg3 or flush) near2 address)	1	<u>L12</u>
<u>L11</u>	(external near3 (request or command or operation))near3 (flush or purge)	39	<u>L11</u>
<u>L10</u>	(external near3 (request or command or operation))with (flush) with cache	13	<u>L10</u>
<u>L9</u>	(external near3 (request or command or operation))with (flush)	63	<u>L9</u>
<u>L8</u>	(external with (request or command or operation) with (flush near3 address))	3	<u>L8</u>
<u>L7</u>	(external-with (request or command or operation)-with (flush))	166	<u>L7</u>
<u>L6</u>	L1 and (cache near3 (address near3 flush))	29	<u>L6</u>
<u>L5</u>	L1 and (((main or system) adj memory) adj3 address) with flush)	3	<u>L5</u>
<u>L4</u>	L1 and (((main or system) adj memory) adj3address) with flush)	89	<u>L4</u>
<u>L3</u>	L1 and (((main or system) adj memory) with (address near3 flush))	9	<u>L3</u>
<u>L2</u>	L1 and (address near3 flush)	83	<u>L2</u>
<u>L1</u>	711/130,133,134,135,147,154.ccls.	3566	<u>L1</u>

END OF SEARCH HISTORY

Freeform Search

Database:	US Pre-Grant Publication Full-Text Database
	US Patents Full-Text Database
	US OCR Full-Text Database
	EPO Abstracts Database
	JPO Abstracts Database
	Derwent World Patents Index
	IBM Technical Disclosure Bulletins

Term:	L1 and (purg\$3 or flush\$3)
--------------	------------------------------

Display:	<input type="text" value="10"/> Documents in Display Format: <input type="text" value="TI"/> Starting with Number <input type="text" value="1"/>
-----------------	---

Generate: ☐ Hit List ☒ Hit Count ☐ Side by Side ☐ Image

Search

Clear

Interrupt

Search History

DATE: Friday, September 17, 2004 [Printable Copy](#) [Create Case](#)

Set Name Query

side by side

Hit Count Set Name

result set

DB=USPT; PLUR=YES; OP=OR

L2 L1 and (purg\$3 or flush\$3) 1 L2

L1 6622214.pn. 1 L1

END OF SEARCH HISTORY

**IEEE Xplore®**
RELEASE 1.8Welcome
United States Patent and Trademark Office

» Search Results

[Help](#) [FAQ](#) [Terms](#) [IEEE Peer Review](#)[Quick Links](#)

Welcome to IEEE Xplore®

- ☐ Home
- ☐ What Can I Access?
- ☐ Log-out

Tables of Contents

- ☐ Journals & Magazines
- ☐ Conference Proceedings
- ☐ Standards

Search

- ☐ By Author
- ☐ Basic
- ☐ Advanced

Member Services

- ☐ Join IEEE
- ☐ Establish IEEE Web Account
- ☐ Access the IEEE Member Digital Library

IEEE Enterprise

- ☐ Access the IEEE Enterprise File Cabinet

Print Format

Your search matched **7** of **1071730** documents.A maximum of **500** results are displayed, **15** to a page, sorted by **Relevance** in **Descending** order.**Refine This Search:**

You may refine your search by editing the current search expression or entering a new one in the text box.

☐ Check to search within this result set**Results Key:****JNL** = Journal or Magazine **CNF** = Conference **STD** = Standard**1 On the conductance of slots***Wait, J.;*Antennas and Propagation, IEEE Transactions on [legacy, pre - 1988] , Volume: 4 , Issue: 2 , April 1956
Pages:124 - 127[\[Abstract\]](#) [\[PDF Full-Text \(344 KB\)\]](#) **IEEE JNL****2 An AI-based communication system for motor and speech disabled persons: design methodology and prototype testing***Sy, B.K.; Deller, J.R., Jr.;*Biomedical Engineering, IEEE Transactions on , Volume: 36 , Issue: 5 , May 1989
Pages:565 - 571[\[Abstract\]](#) [\[PDF Full-Text \(700 KB\)\]](#) **IEEE JNL****3 New non-external field inductive conductivity sensor (NXIC) for long term deployments in biologically active regions***Fougere, A.J.;*

OCEANS 2000 MTS/IEEE Conference and Exhibition , Volume: 1 , 11-14 Sept. 2000

Pages:623 - 630 vol.1

[\[Abstract\]](#) [\[PDF Full-Text \(636 KB\)\]](#) **IEEE CNF****4 Radar cross section of a rectangular cavity in a finite cylinder***Paknys, R.; Kashyap, S.; Louie, A.;*Antennas and Propagation Society International Symposium, 2001. IEEE , Volume: 4 , 8-13 July 2001
Pages:718 - 721 vol.4[\[Abstract\]](#) [\[PDF Full-Text \(120 KB\)\]](#) **IEEE CNF****5 A method for cooling RF waveguides on APT**

McCarthy, M.; Yip, H.; Rees, D.; Roybal, W.; Anderegg, J.; Satpute, S.; McGuire, D.; Toole, L.;
Particle Accelerator Conference, 1999. Proceedings of the 1999 , Volume: 2 , 27
March-2 April 1999
Pages:1402 - 1404 vol.2

[\[Abstract\]](#) [\[PDF Full-Text \(256 KB\)\]](#) [IEEE CNF](#)

6 A submersible respirometer designed to measure the metabolism of benthic marine plants and invertebrates

Jaubert, J.M.; Chisholm, J.R.M.; Marchioretti, M.; Priouzeau, F.;
OCEANS '98 Conference Proceedings , Volume: 3 , 28 Sept.-1 Oct. 1998
Pages:1754 - 1756 vol.3

[\[Abstract\]](#) [\[PDF Full-Text \(264 KB\)\]](#) [IEEE CNF](#)

7 Sensors' FDD by quadruple and modified ART-1 ANNs

Khan, M.R.;
Neural Networks Proceedings, 1998. IEEE World Congress on Computational Intelligence. The 1998 IEEE International Joint Conference on , Volume: 1 , 4-9
May 1998
Pages:262 - 265 vol.1

[\[Abstract\]](#) [\[PDF Full-Text \(432 KB\)\]](#) [IEEE CNF](#)

[Home](#) | [Log-out](#) | [Journals](#) | [Conference Proceedings](#) | [Standards](#) | [Search by Author](#) | [Basic Search](#) | [Advanced Search](#) | [Join IEEE](#) | [Web Account](#) | [New this week](#) | [O](#)
[Linking Information](#) | [Your Feedback](#) | [Technical Support](#) | [Email Alerting](#) | [No Robots Please](#) | [Release Notes](#) | [IEEE Online Publications](#) | [Help](#) | [FAQ](#) | [Terms](#) | [Back to](#)

Copyright © 2004 IEEE — All rights reserved



Welcome
United States Patent and Trademark Office



» Search Results

[Help](#) | [FAQ](#) | [Terms](#) | [IEEE Peer Review](#)
Quick Links

Welcome to IEEE Xplore®

- ☐ Home
- ☐ What Can I Access?
- ☐ Log-out

Tables of Contents

- ☐ Journals & Magazines
- ☐ Conference Proceedings
- ☐ Standards

Search

- ☐ By Author
- ☐ Basic
- ☐ Advanced

Member Services

- ☐ Join IEEE
- ☐ Establish IEEE Web Account
- ☐ Access the IEEE Member Digital Library

IEEE Enterprise

- ☐ Access the IEEE Enterprise File Cabinet

Your search matched **2** of **1071730** documents.

A maximum of **500** results are displayed, **15** to a page, sorted by **Relevance** in **Descending** order.

Refine This Search:

You may refine your search by editing the current search expression or entering a new one in the text box.

Search

☐ Check to search within this result set
Results Key:

JNL = Journal or Magazine **CNF** = Conference **STD** = Standard

1 Disk caching in large database and timeshared systems

Zivkov, B.T.; Smith, A.J.;

Modeling, Analysis, and Simulation of Computer and Telecommunication Systems, 1997. MASCOTS '97., Proceedings Fifth International Symposium on , 12-15 Jan. 1997

Pages:184 - 195

[Abstract] [PDF Full-Text (968 KB)] IEEE CNF

2 Write buffer design for on-chip cache

Chu, P.P.; Gottipati, R.;

Computer Design: VLSI in Computers and Processors, 1994. ICCD '94. Proceedings., IEEE International Conference on , 10-12 Oct. 1994

Pages:311 - 316

[Abstract] [PDF Full-Text (460 KB)] IEEE CNF

Print Format

[Home](#) | [Log-out](#) | [Journals](#) | [Conference Proceedings](#) | [Standards](#) | [Search by Author](#) | [Basic Search](#) | [Advanced Search](#) | [Join IEEE](#) | [Web Account](#) | [New this week](#) | [Linking Information](#) | [Your Feedback](#) | [Technical Support](#) | [Email Alerting](#) | [No Robots Please](#) | [Release Notes](#) | [IEEE Online Publications](#) | [Help](#) | [FAQ](#) | [Terms](#) | [Back to](#)

Copyright © 2004 IEEE — All rights reserved



Welcome
United States Patent and Trademark Office

**Welcome to IEEE Xplore®**

- ☐ Home
- ☐ What Can I Access?
- ☐ Log-out

Tables of Contents

- ☐ Journals & Magazines
- ☐ Conference Proceedings
- ☐ Standards

Search

- ☐ By Author
- ☐ Basic
- ☐ Advanced

Member Services

- ☐ Join IEEE
- ☐ Establish IEEE Web Account
- ☐ Access the IEEE Member Digital Library

IEEE Enterprise

- ☐ Access the IEEE Enterprise File Cabinet

**Print Format**

Your search matched **0** of **1071730** documents.

A maximum of **500** results are displayed, **15** to a page, sorted by **Relevance** in **Descending** order.

Refine This Search:

You may refine your search by editing the current search expression or entering a new one in the text box.

☐ Check to search within this result set**Results Key:**

JNL = Journal or Magazine **CNF** = Conference **STD** = Standard

Results:

No documents matched your query.

**IEEE Xplore®**
RELEASE 1.8Welcome
United States Patent and Trademark Office» [Search Results](#)[Help](#) | [FAQ](#) | [Terms](#) | [IEEE Peer Review](#)[Quick Links](#)

Welcome to IEEE Xplore®

- ☐ Home
- ☐ What Can I Access?
- ☐ Log-out

Tables of Contents

- ☐ Journals & Magazines
- ☐ Conference Proceedings
- ☐ Standards

Search

- ☐ By Author
- ☐ Basic
- ☐ Advanced

Member Services

- ☐ Join IEEE
- ☐ Establish IEEE Web Account
- ☐ Access the IEEE Member Digital Library

IEEE Enterprise

- ☐ Access the IEEE Enterprise File Cabinet

[Print Format](#)Your search matched **0** of **1071730** documents.A maximum of **500** results are displayed, **15** to a page, sorted by **Relevance** in **Descending** order.**Refine This Search:**

You may refine your search by editing the current search expression or entering a new one in the text box.

☐ Check to search within this result set**Results Key:****JNL** = Journal or Magazine **CNF** = Conference **STD** = Standard**Results:****No documents matched your query.**